

Date Nov 21, 1981

Permit No. 81-42

TOWN OF ACTON

APPLICATION FOR PERMIT TO CONSTRUCT WITHIN A PUBLIC WAY

This application must be submitted not less than five (5) days prior to any Construction within a public way.

Notice 24 hours in advance of any construction must be given to the Town Engineer.

1. Permittee: Acton Historical Society Address: 300 MAIN ST.
2. Location of Proposed Construction: 300 MAIN ST.
3. Purpose of Construction: STONE WALL
4. Length of Cut: 110 FEET BEYOND THE BACK OF PAVEMENT
5. Width of Cut: 2 FEET (NO PAVEMENT BEING CUT)
6. Width of Existing Pavement: 4 FEET
7. Type of Existing Roadway Surface: ASPHALT Type of Curb: RIPR
8. Type of Existing Sidewalk Surface: ASPHALT Type of Shoulder: ASPHALT
9. Date of Street Opening: From Nov 21, 1981 To Nov 21, 1981

I, the undersigned, hereby declare that I have read and agree to the Town of Acton Specifications for Regulating Construction with Public Ways dated February 4, 1969. I have deposited the required bond with the Town of Acton, and I covenant and agree that the Town may deduct from this amount the cost of repairs to the road surface, curbs, shoulders, walls or other features within the right-of-way including replacing bounds if not completed by me to the satisfaction of the Town Engineer within the specified time.

Witness my hand and seal,

Signature of Applicant George L. Smith

Special Instructions:

PAY PARTICULAR ATTENTION TO THE GRANITE STONE BOUND LOCATED ON THE LAYOUT LINE AND NOT DISTURBING SAME DURING CONSTRUCTION.

Permit Issued: Date Nov 20, 1981 By: Richard W. Smith

Application Denied: Date _____ By: _____

Work Inspected and Approved: Date _____ By: _____

Fee \$5.00

(over)

Date.....NOV 21, 1981.....

Permit No. 81-42

TOWN OF ACTON

APPLICATION FOR PERMIT TO CONSTRUCT WITHIN A PUBLIC WAY

This application must be submitted not less than five (5) days prior to any Construction within a public way.

Notice 24 hours in advance of any construction must be given to the Town Engineer.

1. Permittee: Acton Historical Society Address: 300 MAIN ST.
2. Location of Proposed Construction: 300 MAIN ST.
3. Purpose of Construction: STONE WALL
4. Length of Cut: 112 FEET BACK OF PAVEMENT
5. Width of Cut: 2 FEET (NO PAVEMENT BEING CUT)
6. Width of Existing Pavement: 4 FEET
7. Type of Existing Roadway Surface: ASPHALT Type of Curb: BIRM
8. Type of Existing Sidewalk Surface: ASPHALT Type of Shoulder: ASPHALT
9. Date of Street Opening: From NOV 21, 1981 To NOV 21, 1981

I, the undersigned, hereby declare that I have read and agree to the Town of Acton Specifications for Regulating Construction with Public Ways dated February 4, 1969. I have deposited the required bond with the Town of Acton, and I covenant and agree that the Town may deduct from this amount the cost of repairs to the road surface, curbs, shoulders, walls or other features within the right-of-way including replacing bounds if not completed by me to the satisfaction of the Town Engineer within the specified time.

Witness my hand and seal,

Signature of Applicant George L. Hume

Special Instructions:

PAY PARTICULAR ATTENTION TO THE GRANITE STONE BOUND LOCATED ON THE LAYOUT LINE AND NOT DISTURBING SAME DURING CONSTRUCTION.

Permit Issued: Date NOV 20, 1981 By: Robert W. Hume

Application Denied: Date _____ By: _____

Work Inspected and Approved: Date _____ By: _____

Fee \$5.00

(over)

TOWN OF ACTON

INTER-DEPARTMENTAL COMMUNICATION

DATE: NOVEMBER 20, 1981

TO: NANCY H. BANKS, TOWN MANAGER

FROM: ENGINEERING DEPARTMENT

SUBJECT: CONSTRUCTION OF STONE RETAINING WALL AT THE HOSMER HOUSE ON MAIN STREET


Whereas the Selectmen have approved this wall and the work is being done by the Acton Historical Society we will, subject to your consent, issue a "permit to construct within a public way", without having the applicant pay the usual \$5.00 fee and post a \$250.00 bond. However, the contractor should call "Dig Safe" so that the utility companies can locate and protect their facilities. Also, the contractor should take whatever precautions deemed appropriate by the Acton Police Chief in order to insure the safety of the public.


We have checked the 18" line from back of sidewalk to the face of the proposed stone wall and this results in an acceptable minimum 6' wide sidewalk.

Ralph W. Herrick
Ralph W. Herrick
Town Engineer

DA:ec

cc: Acton Police Chief





ACTON P
 APP

PROPERTY LINES COMPILED FROM
 RECORDED WITH THE MIDDLESEX
 DISTRICT REGISTRY
 BOOK 12775